

THE INTERNATIONAL LISTING REGISTRATION SCOPES

Certificate ID: **IPS-KSC198-ILC**



الهيئة السعودية للمواصفات والمقاييس والجودة
Saudi Standards, Metrology and Quality Org.

SASO Registration Ref. P-CB 0684

Head Office Name & Address:	KENZ SAUDI COMMERCIAL CO LTD Building No. 2515, Prince Saud Al Faisal Ibn Abdulaziz St, 7043 Ar Rawdah Dis. 23431, Jeddah, KSA
Certified Factory Name & Address:	KENZ SAUDI COMMERCIAL CO LTD Building No. 2515, Prince Saud Al Faisal Ibn Abdulaziz St, 7043 Ar Rawdah Dis. 23431, Jeddah, KSA
Distributor Company Name & Address:	N/A
Certification Type:	International Listings Product Certification Scheme 01-Type 3, Classic Single Site Certification – Fire Door, Non-load Bearing Assemblies
Issue Date:	MAY 12, 2025
Expiry Date:	MAY 11, 2026
Registration Scope ID:	IPS-KSC198-ILC-2025A, REV 0
Others:	KSC198 a designated company code for KENZ SAUDI COMMERCIAL CO LTD



THE INTERNATIONAL LISTING REGISTRATION SCOPE

KENZ SAUDI COMMERCIAL CO LTD

Expiry Date: MAY 11, 2026



I-Listing Scope ID: IPS-KSC198-ILC-01A, Rev. A

Certified Scope Descriptions	Validated Properties	Test Codes
KSC198_ Latched, Single Acting, USI120 Composite Core Timber Frame Fire Resisting Door Assembly _EI120	Integrity: 120 Minutes Insulation: 120 Minutes	BS 476-22
<p>Configurations – Timber Frame: Hinged, Latched, Single Acting, Single Leaf & Timber Frame, Glazed Hinged, Latched, Single Acting, Single Leaf & Timber Frame, Unglazed</p> <p>Specifications & Dimensions: Frame: 2440x1302x150mm (HXWXD) Door Stop: 20mm thick, Integral to Frame Leaf: 2386 x 1206 x 65mm (HxWxT) Overall Vision Panel: 640x340mm (HxW)</p> <p>Frame, Doorstop & Lipping Material: Hardwood, Solid Core: 64mm thick Composite Core, USI120, USI Trading LLC Door Blank: 650 kg/m³, MC: 10±2%</p>		

...press tab for more rows

I-Listing Test Evidences

Test Reference(s) ID	Category
FRR- FRR-2302/1127 SN 2/2 (2302051050)	Primary Test-USI Trading LLC

...press tab for more rows

I-Listing Instructions

- a) Certification to this scope is valid only within the timeframe defined at both Test report and/or consent letter from document owner and whichever earlier.

I-Listing Notes

Note 1: The scope components, specifications, construction, door size and other information documented at above stated test report subject to full compliance, strictly not permitted for any changes/parameters nor be mixed and matched with other listed FOA(s) and/or Test report(s);

Note 2: The certification is endorsed only to door assembly as described when satisfactorily manufactured as per Note 1 and only by the abovementioned certified factory name and address and labelled with official IPS I-Listing Product Labels only; and

Note 3: The International Listing Registration Scope is subject to periodic reviews and updates without prior notice, contact IPS Certification Services for further information.



THE INTERNATIONAL LISTING REGISTRATION SCOPE

KENZ SAUDI COMMERCIAL CO LTD

Expiry Date: MAY 11, 2026



I-Listing Scope ID: IPS-KSC198-ILC-02A, Rev. A

Certified Scope Descriptions	Validated Properties	Test Codes
KSC198_ Latched, Single Acting, USI90 ProShield Core Timber Frame Fire Resisting Door Assembly_EI90	Integrity: 90 Minutes Insulation: 90 Minutes	EN 1634-1
<p>Configurations – Timber Frame: Hinged, Latched, Single Acting, Single Leaf & Timber Frame, Glazed Hinged, Latched, Single Acting, Single Leaf & Timber Frame, Unglazed</p> <p>Overall Tested Dimensions and Specifications Frame: 2258x1163x150mm (HXWXD) Door Stop: 15mm thick, Integral to Frame Leaf: 2218 x 1093 x 56.21mm (HxWxT)</p> <p>Core: 54mm thick USI60 ProShield Core, Density of 650 kg/m³, USI Trading LLC Frame, Doorstop & Lipping Material: Hardwood, Solid Density: 650 kg/m³ & MC: 10±2%</p>		

...press tab for more rows

I-Listing Test Evidences

Test Evidence Reference(s) ID	Category
YH104-5	Primary Test, Single Door-USI Trading LLC

...press tab for more rows

I-Listing Instructions

- a) Certification to this scope is valid only within the timeframe defined at both Test report and/or consent letter from document owner and whichever earlier.

I-Listing Notes

Note 1: The scope components, specifications, construction, door size and other information documented at above stated test report subject to full compliance, strictly not permitted for any changes/parameters nor be mixed and matched with other listed FOA(s) and/or Test report(s);

Note 2: The certification is endorsed only to door assembly as described when satisfactorily manufactured as per Note 1 and only by the abovementioned certified factory name and address and labelled with official IPS I-Listing Product Labels only; and

Note 3: The International Listing Registration Scope is subject to periodic reviews and updates without prior notice, contact IPS Certification Services for further information.



THE INTERNATIONAL LISTING REGISTRATION SCOPE

KENZ SAUDI COMMERCIAL CO LTD

Expiry Date: MAY 11, 2026



I-Listing Scope ID: IPS-KSC198-ILC-03A, Rev. A

Certified Scope Descriptions	Validated Properties	Test Codes
KSC198_ Latched, Single Acting, USI60 ProShield Core Timber Frame, Fire Resisting Door Assembly _EI60		
<p>Configurations – Timber Frame: Hinged, Latched, Single Acting, Single Leaf & Timber Frame, Unglazed Hinged, Latched, Single Acting, Double Leaf & Timber Frame, Glazed Hinged, Latched, Single Acting, Double Leaf & Timber Frame, Unglazed</p> <p>Overall Tested Dimensions and Specifications Single Door Frame: 2258x1163x150mm (HXWXD) Door Stop: 15mm thick, Integral to Frame Leaf: 2218 x 1093 x 56.21mm (HxWxT)</p> <p>Double Door Frame: 2207 x 2266 x 150mm (HXWXD) Door Stop: 13mm thick, Integral to Frame Active Leaf: 1070 x 2225 x 55mm (HxWxT) Inactive Leaf: 1064 x 2225 x 55mm (HxWxT)</p> <p>Core: 54mm thick USI60 ProShield Core, USI Trading LLC Density: 650 kg/m³ & Mc: 8±2% Frame, Doorstop & Lipping Material: Hardwood, Solid Density: 650 kg/m³ & MC: 10±2%</p>	Integrity: 60 Minutes Insulation: 60 Minutes	EN 1634-1

...press tab for more rows

I-Listing Test Evidences

Test Evidence Reference(s) ID	Category
0679-24-TR-01	Primary Test, Single Door-USI Trading LLC
YH104-4	Primary Test, Double Door-USI Trading LLC

...press tab for more rows

I-Listing Instructions

- a) Certification to this scope is valid only within the timeframe defined at both Test report and/or consent letter from document owner and whichever earlier.

I-Listing Notes

- Note 1: The scope components, specifications, construction, door size and other information documented at above stated test report subject to full compliance, strictly not permitted for any changes/parameters nor be mixed and matched with other listed FOA(s) and/or Test report(s);
- Note 2: The certification is endorsed only to door assembly as described when satisfactorily manufactured as per Note 1 and only by the abovementioned certified factory name and address and labelled with official IPS I-Listing Product Labels only, and
- Note 3: The International Listing Registration Scope is subject to periodic reviews and updates without prior notice, contact IPS Certification Services for further information.



THE INTERNATIONAL LISTING REGISTRATION SCOPE

KENZ SAUDI COMMERCIAL CO LTD

Expiry Date: MAY 11, 2026



I-Listing Scope ID: IPS-KSC198-ILC-04A, Rev. A

Certified Scope Descriptions	Validated Properties	Test Codes
KSC198_ Latched, Single Acting, USI60 ProShield Core Steel Frame Fire Resisting Door Assembly-without Vision Panel_EI60	Integrity: 60 Minutes Insulation: 60 Minutes	EN 1634-1
<p>Configurations – Steel Frame: Hinged, Latched, Single Acting, Single Leaf Steel Frame, Unglazed</p> <p>Overall Tested Dimensions and Specifications Frame: 2259 x 1145 x 149mm (HxWxD) Door Stop: 13mm thick, Integral to Frame Material: 1.5mm thick, Galvanized Steel</p> <p>Leaf Dimension: 2218 x 1075 x 55mm (HxWxT) Core: 54mm thick USI60 ProShield Core, USI Trading LLC Density: 650 kg/m³ & Mc: 8±2%</p>		

...press tab for more rows

I-Listing Test Evidences

Test Evidence Reference(s) ID	Category
YH104-3	Primary Test, Single Door-USI Trading LLC

...press tab for more rows

I-Listing Instructions

- a) Certification to this scope is valid only within the timeframe defined at both Test report and/or consent letter from document owner and whichever earlier.

I-Listing Notes

Note 1: The scope components, specifications, construction, door size and other information documented at above stated test report subject to full compliance, strictly not permitted for any changes/parameters nor be mixed and matched with other listed FOA(s) and/or Test report(s);

Note 2: The certification is endorsed only to door assembly as described when satisfactorily manufactured as per Note 1 and only by the abovementioned certified factory name and address and labelled with official IPS I-Listing Product Labels only; and

Note 3: The International Listing Registration Scope is subject to periodic reviews and updates without prior notice, contact IPS Certification Services for further information.



THE INTERNATIONAL LISTING REGISTRATION SCOPE

KENZ SAUDI COMMERCIAL CO LTD

Expiry Date: MAY 11, 2026



I-Listing Scope ID: IPS-KSC198-ILC-05A, Rev. A

Certified Scope Descriptions	Validated Properties	Test Codes
<p>KSC198_ Latched, Single Acting, USI30 ProShield Core Timber Frame, Fire Resisting Door Assembly-without Vision Panel_EI30</p> <p>Configurations – Timber Frame: Hinged, Latched, Single Acting, Double Leaf Timber Frame, Unglazed</p> <p>Overall Tested Dimensions and Specifications Frame: 2270 x 2232 x 150mm (HXWXD) Door Stop: 13mm thick, Integral to Frame Active Leaf: 2229 x 1071.5 x 45mm (HXWXT) Inactive Leaf: 2229 x 1087.5 x 45mm (HXWXT)</p> <p>Core: 44mm thick USI30 ProShield Core, USI Trading LLC Density: 650 kg/m³ & MC: 8±2% Frame, Doorstop & Lipping Material: Hardwood, Solid Density: 650 kg/m³ & MC: 10±2%</p>	<p>Integrity: 30 Minutes</p> <p>Insulation: 30 Minutes</p>	<p>EN 1634-1</p>

...press tab for more rows

I-Listing Test Evidences

Test Evidence Reference(s) ID	Category
YH104-2	Primary Test, Double Door-USI Trading LLC

...press tab for more rows

I-Listing Instructions

- a) Certification to this scope is valid only within the timeframe defined at both Test report and/or consent letter from document owner and whichever earlier.

I-Listing Notes

Note 1: The scope components, specifications, construction, door size and other information documented at above stated test report subject to full compliance, strictly not permitted for any changes/parameters nor be mixed and matched with other listed FOA(s) and/or Test report(s);

Note 2: The certification is endorsed only to door assembly as described when satisfactorily manufactured as per Note 1 and only by the abovementioned certified factory name and address and labelled with official IPS I-Listing Product Labels only; and

Note 3: The International Listing Registration Scope is subject to periodic reviews and updates without prior notice, contact IPS Certification Services for further information.



THE INTERNATIONAL LISTING REGISTRATION SCOPE

KENZ SAUDI COMMERCIAL CO LTD

Expiry Date: MAY 11, 2026



I-Listing Scope ID: IPS-KSC198-ILC-06A, Rev. A

Certified Scope Descriptions	Validated Properties	Test Codes
KSC198_ Latched, Single Acting, USI30 ProShield Core Steel Frame, Fire Resisting Door Assembly_EI30		
<p>Configurations-Steel Frame: Hinged, Latched, Single Acting, Single Leaf Steel Frame, Unglazed Hinged, Latched, Single Acting, Single Leaf Steel Frame, Glazed</p> <p>Overall Tested Dimensions and Specifications Frame: 2261x1140x150mm (HXWxD) Door Stop: 13mm thick, Integral to Frame Material: 1.5mm thick, Galvanized Steel</p> <p>Leaf Dimension: 2220x1070x45mm (HXWXT) Core: 44mm thick USI30 ProShield Core, USI Trading LLC Density: 650 kg/m³ & MC: 8±2% Vision Panel Overall Size: 340 x 640mm (HXW)</p>	Integrity: 30 Minutes Insulation: 30 Minutes	EN 1634-1

...press tab for more rows

I-Listing Test Evidences

Test Evidence Reference(s) ID	Category
YH104-1	Primary Test, Single Door-USI Trading LLC

...press tab for more rows

I-Listing Instructions

- a) Certification to this scope is valid only within the timeframe defined at both Test report and/or consent letter from document owner and whichever earlier.

I-Listing Notes

Note 1: The scope components, specifications, construction, door size and other information documented at above stated test report subject to full compliance, strictly not permitted for any changes/parameters nor be mixed and matched with other listed FOA(s) and/or Test report(s);

Note 2: The certification is endorsed only to door assembly as described when satisfactorily manufactured as per Note 1 and only by the abovementioned certified factory name and address and labelled with official IPS I-Listing Product Labels only; and

Note 3: The International Listing Registration Scope is subject to periodic reviews and updates without prior notice, contact IPS Certification Services for further information.

